Pin Cushion/Thread Catcher With Lining

Requirements:

1 tile 6 inches square
2 different fabrics
1 for cushion and lining (plain)
1 for pocket and strap (printed)
Length of 4 mm plastic tube
1 button
Wadding



You need to know what size pincushion you are going to make first depending on the size of the tile you will put into the base. This keeps it nice and steady on your table. Any size tile will do though.

To make the pincushion:

Working with a tile 6 inches square.

This piece of fabric will be cut at 7 1/4 inches by 16 inches.

In the center of one end (or half of your fabric) you will need to embroider a design; if you do not own an embroidery machine you may like to put hand embroidery on it, or just some fancy stitches in a square. The choice is up to you.

Fold the fabric in half right sides together. Stitch ¼ inch seam around leaving one side open to insert the tile and the wading. Remember which is top and bottom of design - the opening should be at the bottom.

You will need to wrap the tile in a layer of wadding; I roughly stitched this by hand to secure the tile inside the wadding so as to always be securely covered inside the cushion.

Before you insert the tile, fold a ¾ inch hem allowance under on the raw edge and press with the iron so that it is easier to stitch together by hand when joining cushion to the strap.


After inserting wrapped tile inside bag now add more wadding to your top side until you are satisfied you have enough in there to act as your pin cushion.


© Kezza's Kreations 2003 Page 1 of 3

To make the pocket with a lining:

Of each fabric cut a piece 15 inches by 9 ½ inches. With right sides together stitch close to the edge around all sides leaving an opening to turn inside out. Turn inside out and stitch it closed.

Fold fabric (right sides tog.) in half.





Green line = fold line

Red line = Stitch 2 sides tog.

Turn ¾ inch for casing and stitch close to edge. Leave an opening to insert plastic tube.

Turn right side out.



The length of tube will depend on the full width of the opening plus about 1-½ inches extra just to cross over itself. There is no need to tie it off or stitch it together. It stays in place rather nicely. Hand stitch the opening closed.



© Kezza's Kreations 2003 Page 2 of 3

To make the attachment strap:

Cut a piece of fabric 8 inches by 2 inches. Fold in half lengthwise right sides together, sew a ¼ seam allowance. Turn right side out, press and topstitch along one side. This side will become the inner section of the strap. Press again. Fold in half lengthwise and lay it side by side and fold under the end to form a point. The folded piece will fold toward the back. Hold in place and topstitch the other side. Also stitch across the width of the strap at the point end to keep in place.



Now is time to connect cushion and strap.

In the center of this cushion opening place the attachment strap and by hand sew the turned edges together including the strap as you go and keeping the strap laying flat at all times.

Connect the cushion to the pocket by doing up the button.

You can sit these beside your sewing machine, on your ironing board to collect all those unwanted threads.

Also a great idea for classes and makes a lovely gift for a sewer.

Enjoy,

Kezza.

© Kezza's Kreations 2003 Page 3 of 3